

Lepitect™ Systemic Tree & Ornamental Insecticide
EPA Reg. No. 74779-6

SUPPLEMENTAL PRODUCT BULLETIN

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

ORNAMENTAL TREE AND SHRUBS - SOIL INJECTION

PLANTS	INSECTS		AMOUNT OF PRODUCT	APPLICATION TIMING
Ornamental Trees and Shrubs	Aphids	Loopers	1/5 oz (5.7 g) per inch of trunk diameter (D.B.H.) Use one packet (10 oz) to treat 50 inches of trunk diameter (D.B.H)	Begin applications when insects first appear
	Bagworm	Maple Shoot Moth		
	Black vine weevil	Oakworm		
	Budworm	Pine Coneworm		
	Cankerworm	Pine Tip Moth (larvae)		
	Carpenterworm	Plant bugs		
	Cuban Laurel Thrips	Sawflies		
	Gall Forming Insects	Scale		
	Gypsy Moth (larvae)	Spider Mites		
	Japanese Beetle	Tent Caterpillar		
	Lacebugs	Tiger moth (larvae)		
	Leaf Beetles	Tussock Moth (larvae)		
	Leafhoppers Leafminers	Webworm		
	Leafrollers	Winter moth (larvae)		
	Leaftier (larvae)	Whitefly		
	Lepidoptera (larvae)			

APPLICATION DIRECTIONS: For optimal uptake, irrigate the treated area after treatment to promote absorption into the root system. Do not apply more than once per month. Applications to dry soil may decrease performance. Do not apply to areas where food crops are grown (i.e., vegetable gardens, fruit trees, berry vines, etc.), children’s play areas, or animal runs. Do not apply more than 5 lb. of product per acre per application. Do not apply more than 6 lbs of product per acre per year.

Rainbow Treecare Scientific Advancements does not recommend applications be made to Huckleberry, Balm of Gilead, Cottonwood, Lombardy Poplar, and Viburnum suspensum.

Caution: Phytotoxicity has occurred on the following crabapple varieties: Hopa, Ichonoski, Malusfloribunda, Pink Perfection, Red Wine, and Snow Cloud.

APPLICATION METHOD

Basal System: Dilute (10 oz) (283.5 g) of product in 25 gallons of water to treat 50 inches of cumulative trunk diameter. A minimum of two (2) injections sites per inch of trunk diameter (D.B.H.) is required. For multi-stemmed trees and shrubs, use diameter of individual canes at soil line instead of DBH. Apply one (1) quart of diluted solution per injection site. Space injection sites evenly around the base of the tree no more than 6 to 12 inches out from the base. Maintain a low pressure and inject to a depth of six (6) inches.

Distributed BY:
RAINBOW TREECARE SCIENTIFIC ADVANCEMENTS
11571 K-Tel Drive
Minnetonka, MN 55343